



AQUARIGHT®
WE TREAT IT RIGHT

PRODUCT DATA

PD 119

AQUARIGHT ED 3 TA

DESCRIPTION AND USE

AQUARIGHT ED 3 TA is blend of organic chelants, dispersants and surfactants used to remove deposits from heat transfer equipment.

AQUARIGHT ED 3 TA complexes iron and copper ions at a neutral pH and thus removes metallic oxides, sulphides and other salts without the risk of corrosion.

GENERAL SPECIFICATION

Appearance : Yellowish
pH as supplied : 10,50 – 11,50
Specific gravity : 1.10 – 1.15

TREATMENT AND DOSAGE REQUIREMENTS

Dose rates and application requirements will be specified for each individual system and will be dependent upon the duty required. AQUARIGHT ED 3 TA can be fed directly from the drum or diluted to any concentration and fed through normal dosage equipment.

PRODUCT BENEFITS

Removes metal oxides and hardness deposits.

Safe and easy to handle.

No plant down-time, cleans up on-line.

Deposits removed at controllable rate.

Every endeavor has been made to ensure that the information contained in this leaflet is reliable but we cannot accept liability for any loss, injury or damage which may result from its use. Data given in this Material Safety Data Sheet are solely for guidance in safe handling and use of the product(s) by customers; they do not form part of any specification. Customers are reminded that there may be uses or application of our products which are protected by patents under which PT ZEFA VALINDO JAYA have no rights. If any difficulties arise, we shall be glad to discuss them. Before using any product, read its label.

- a trade mark of : PT ZEFA VALINDO JAYA , Bekasi – Indonesia